


CONSTRUCTION OF MOTORIZED SHALLOW W ELL -QARSOONI VILLAGE -BELEDWEYNE DISTRICT-HIRSHABELLE STATE



- All dimensions are in mm unless stated.
 All dimensions to be checked and confirmed on site before commencement of any work.
- Any discrepancy to be reported to the engineer promptly before proceeding.

PROJECT

EXCAVATION OF SHALLOW WELLS




DEPARTMENT

WATER SANITATION AND HYGIENE **WASH**

SCALE		DRAWING TITLE:
DATE	NOV 2020	
		DRAWING Nº:
DESIGNED BY:	ENG. Wanja.D	
DRAWN BY:	ENG. Wanja.D	PROJECT Nº:
REVIEWED BY:		
APPROVED BY:		

SITE PLAN SHEET Nº:





- . All dimensions are in mm unless stated.
- 2. All dimensions to be checked and confirmed on
- site before commencement of any work.
 Any discrepancy to be reported to the engineer promptly before proceeding.

PROJECT

EXCAVATION OF SHALLOW WELLS




DEPARTMENT


WATER SANITATION AND HYGIENE WASH

SCALE		DRAWING TITLE:
DATE	JUNE 2020	
		DRAWING Nº:
DESIGNED BY:	ENG. Wanja.D	
DRAWN BY:	ENG. Wanja.D	PROJECT Nº:
REVIEWED BY:		
APPROVED BY:		


SOLAR LAYOUT




TYPICAL 7 NO. PANEL LAYOUT



SOLAR STRUCTURE ELEVATION



SOLAR STRUCTURE ELEVATION



GENERAL NOTES

- 1. All dimensions are in mm unless stated.
- 2. All dimensions to be checked and confirmed on
- site before commencement of any work.
 Any discrepancy to be reported to the engineer promptly before proceeding.

PROJECT

EXCAVATION OF SHALLOW WELLS





DEPARTMENT

WATER SANITATION AND HYGIENE WASH


SCALE		DRAWING TITLE:
DATE	JUNE 2020	
		DRAWING Nº:
DESIGNED BY:	ENG. Wanja.D	
DRAWN BY:	ENG. Wanja.D	PROJECT Nº:
REVIEWED BY:		
APPROVED BY:		

S.STRUCTURE
DETAILS
SHEET Nº:





Side Elevation



Floor Plan

- All dimensions are in mm unless stated.
 All dimensions to be checked and confirmed on site before commencement of any work.
 Any discrepancy to be reported to the engineer promptly before proceeding.

PROJECT

EXCAVATION OF SHALLOW WELLS


IMPLEMENTING AGENCY International Organization for Migration (IOM) The UN Migration Agency

DEPARTMENT

WATER SANITATION AND HYGIENE **WASH**

66415		DRAWING TITLE:
SCALE		DRAWING TITLE.
DATE	JUNE 2020	
		<u>DRAWING Nº:</u>
DESIGNED BY:	ENG. Wanja.D	
DRAWN BY:	ENG. Wanja.D	PROJECT Nº:
REVIEWED BY:		
APPROVED BY:		





- . All dimensions are in mm unless stated.
- All dimensions to be checked and confirmed on site before commencement of any work.
- Any discrepancy to be reported to the engineer promptly before proceeding.

PROJECT

EXCAVATION OF SHALLOW WELLS




DEPARTMENT

WATER SANITATION AND HYGIENE WASH

SCALE		DRAWING TITLE:	
DATE	JUNE 2020		E
		<u>DRAWING N^o:</u>	_
DESIGNED BY:	ENG. Wanja.D		SH
DRAWN BY:	ENG. Wanja.D	PROJECT Nº:	
REVIEWED BY:			
APPROVED BY:			





- All dimensions are in mm unless stated.
 All dimensions to be checked and confirmed on site before commencement of any work.
- Any discrepancy to be reported to the engineer promptly before proceeding.

PROJECT

EXCAVATION OF SHALLOW WELLS




DEPARTMENT

WATER SANITATION AND HYGIENE **WASH**

SCALE		DRAWING TITLE:
DATE	JUNE 2020	
		DRAWING Nº:
DESIGNED BY:	ENG. Wanja.D	
DRAWN BY:	ENG. Wanja.D	PROJECT Nº:
REVIEWED BY:		
APPROVED BY:		





- All dimensions are in mm unless stated.
 All dimensions to be checked and confirmed on site before commencement of any work.
- 3. Any discrepancy to be reported to the engineer promptly before proceeding.

PROJECT

EXCAVATION OF SHALLOW WELLS

IMPLEMENTING AGENCY International Organization for Migration (IOM)


The UN Migration Agency

DEPARTMENT

WATER SANITATION AND HYGIENE **WASH**

SCALE		DRAWING TITLE:
DATE	JUNE 2020	
		DRAWING Nº:
DESIGNED BY:	ENG. Wanja.D	
DRAWN BY:	ENG. Wanja.D	PROJECT Nº:
REVIEWED BY:		
APPROVED BY:		





- All dimensions are in mm unless stated.
- 2. All dimensions to be checked and confirmed on site before commencement of any work.
- 3. Any discrepancy to be reported to the engineer promptly before proceeding.

PROJECT

EXCAVATION OF SHALLOW WELLS


International Organization for Migration (IOM) The UN Migration Agency

DEPARTMENT

WATER SANITATION AND HYGIENE **WASH**

SCALE		DRAWING TITLE:
DATE	JUNE 2020	
		DRAWING Nº:
DESIGNED BY:	ENG. Wanja.D	
DRAWN BY:	ENG. Wanja.D	PROJECT Nº:
REVIEWED BY:		
APPROVED BY:		

SHEET Nº:



PROJECT
PROPOSED
REHABILITATION/CONSTRUC
TION WORKS



<u>WASH</u> SUPPORTED ACTIVITIES IN SOMALIA

REV.	

STATUS NEW CONSTRUCTION DRAWING TITLE:

DATE APRIL 2020


DESIGNED BY: ENG. WANJA D.


DRAWN BY: ENG. WANJA D.


REVIEWED BY:


APPROVED BY: DR. O. KHYARE

I<u>EET Nº:</u>









- All dimensions are in mm unless stated.
 All dimensions to be checked and confirmed on site before commencement of any work.
 Any discrepancy to be reported to the engineer promptly before proceeding.

PROJECT

EXCAVATION OF SHALLOW WELLS

IMPLEMENTING AGENCY International Organization for Migration (IOM) The UN Migration Agency

DEPARTMENT

WATER SANITATION AND HYGIENE WASH

SCALE		DRAWING TITLE:
DATE	JUNE 2020	
		DRAWING Nº:
DESIGNED BY:	ENG. Wanja.D	
DRAWN BY:	ENG. Wanja.D	PROJECT Nº:
REVIEWED BY:		
APPROVED BY:		



SHEET No:



PS2-1800 C-SJ8-7

Solar Submersible Pump System for 4" wells

System Overview

Head max. 40 m Flow rate max. 13 m³/h

Technical Data

Controller PS2-1800

Controlling and monitoring

Control inputs for dry running protection, remote control etc.

Protected against reverse polarity, overload and overtemperature

Integrated MPPT (Maximum Power Point Tracking)
Battery operation: Integrated low voltage disconnect

Integrated Sun Sensor

 Power
 max. 1,8 kW

 Input voltage
 max. 200 V

 Optimum Vmp**
 > 102 V

 Motor current
 max. 14 A

 Efficiency
 max. 98 %

 Ambient temp.
 -40...50 °C

 Enclosure class
 IP68

Motor ECDRIVE 1200-C / ECDRIVE 1800-C

Maintenance-free brushless DC motor

Water filled

Premium materials, stainless steel: AISI 304/316

No electronics in the motor

Rated power 1,7 kW
Efficiency max. 92 %
Motor speed 900...3 300 rpm
Insulation class F
Enclosure class IP68
Submersion max. 150 m

Pump End PE C-SJ8-7

Non-return valve

Premium materials, stainless steel: AISI 304

Optional: dry running protection

Centrifugal pump



Pump Unit PU1800 C-SJ8-7 (Motor, Pump End)

Borehole diameter min. 4,0 in Water temperature max. 50 °C

Standards



2006/42/EC, 2004/108/EC, 2006/95/EC

IEC/EN 61702:1995

The logos shown reflect the approvals that have been granted for this product family. Products are ordered and supplied with the approvals specific to the market requirements.

**Vmp: MPP-voltage under Standard Test Conditions (STC): 1000 W/m² solar irradiance, 25 °C cell temperature






BERNT LORENTZ GmbH & Co. KG

Siebenstuecken 24, 24558 Henstedt-Ulzburg,




PS2-1800 C-SJ8-7

Solar Submersible Pump System for 4" wells



Dimensions and Weights



	Net weight
Controller	6,0 kg
Pump Unit	14 kg
Motor	7,0 kg
Pump End	6,5 kg

^{*}Vmp: MPP-voltage under Standard Test Conditions (STC): 1000 W/m² solar irradiance, 25 °C cell temperature





